
MATERIAL SAFETY DATA SHEET

HELENA LABORATORIES
 1530 Lindbergh Dr./P.O. Box 752
 Beaumont, TX 77704-0752
 USA Toll Free 800-231-5663

DATE PREPARED: 3/30/2010
 REVISION: 7

1. IDENTIFICATION:

PRODUCT NAME: TITAN GEL HI RES ALK PHOS ISOENZYME KIT

PRODUCT NO.: 3058

2. INGREDIENTS (THE ABOVE KIT CONTAINS THE FOLLOWING ITEMS):

PRODUCT NUMBER	PRODUCT IDENTIFICATION (LABEL NAME)	COMMENTS
3058	TITAN GEL ALKALINE PHOSPHATASE (HR) GEL KIT (Part 1)	
551029	TITAN GEL ALKALINE PHOSPHATASE (HR) GEL	
	HAZARDOUS INGREDIENT	
	THIMEROSAL	CAS # 54-64-8 % <0.1 MSDS ATTACHED
551038	TITAN GEL ALKALINE PHOSPHATASE (HR) BUFFER	
	HAZARDOUS INGREDIENT	
	BARBITAL	CAS # 57-44-3 % 62.0 MSDS ATTACHED
551031	TITAN GEL ALKALINE PHOSPHATASE (HR) REAGENT KIT (Part 2)	
551030	TITAN GEL ALKALINE PHOSPHATASE (HR) REAGENT	NON-HAZARDOUS
551033	TITAN GEL ALKALINE PHOSPHATASE (HR) DILUENT	
	HAZARDOUS INGREDIENT	
	2-AMINO-2-METHYL-1-PROPANOL	CAS # 124-68-5 % 15.0 MSDS ATTACHED
551034	TITAN GEL ALKALINE PHOSPHATASE SEPARATION ENHANCER	NON-HAZARDOUS

ATTACHED IS THE MSDS FOR THE ABOVE NAMED HAZARDOUS INGREDIENT.

MATERIAL SAFETY DATA SHEET

HELENA LABORATORIES
 1530 Lindbergh Dr./P.O. Box 752
 Beaumont, TX 77704-0752
 USA Toll Free 800-231-5663

DATE PREPARED: 3/23/2010
 REVISION: 5

1. IDENTIFICATION:

NAME: THIMEROSAL

SYNONYMS: 2-(ETHYLMERCURIOMERCAPTO)BENZOIC ACID SODIUM SALT
 ETHYLMERCURITHIOSALICYLIC ACID SODIUM SALT
 MERCURY-([O-CARBOXYPHENYL])ETHYL SODIUM SALT
 SODIUM ETHYLMERCURITHIOSALICYLATE

MOLECULAR WEIGHT: 404.81 G/MOL

=====

2. CHEMICAL COMPOSITION:

CHEMICAL NAME/COMMON NAME	CAS #	%	EXPOSURE LIMITS	
			OSHA PEL	ACGIH TLV
THIMEROSAL	54-64-8	100	0.01 mg/m ³	0.1 mg/m ³

=====

NA = Not Applicable NE = Not Established
 NL = Not Listed NIF = No Information Found

3. HAZARD IDENTIFICATION:

EMERGENCY OVERVIEW: HIGHLY TOXIC BY INHALATION, HIGHLY TOXIC BY INGESTION, HIGHLY TOXIC BY SKIN ABSORPTION.

PRIMARY ROUTE(S) OF ENTRY:

INHALATION? X SKIN? X INGESTION? X

ACUTE EFFECT OF OVEREXPOSURE:

EYES: CAUSES EYE IRRITATION

SKIN: MAY BE FATAL IF ABSORBED THROUGH THE SKIN. CAUSES SKIN IRRITATION.

INHALATION: MAY BE FATAL IF INHALED. MATERIAL IS IRRITATING TO UPPER RESPIRATORY TRACT.

INGESTION: MAY BE FATAL IF SWALLOWED.

CHRONIC EFFECTS OF EXPOSURE: MAY CAUSE CONGENITAL MALFORMATION IN THE FETUS.

TARGET ORGANS: KIDNEYS, CENTRAL NERVOUS SYSTEM.

4. FIRST AID MEASURES:

EYE CONTACT: IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN IMMEDIATELY.

SKIN CONTACT: IN CASE OF CONTACT, IMMEDIATELY FLUSH SKIN WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING AND SHOES.

INHALATION: IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. CALL A PHYSICIAN IMMEDIATELY.

INGESTION: IF SWALLOWED, WASH OUT MOUTH WITH WATER, PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN IMMEDIATELY.

5. FIRE AND EXPLOSION HAZARD DATA:

FLASH POINT (METHOD USED): > 482°F (> 250°C)

FLAMMABLE LIMITS: NA LEL NA UEL NA

EXTINGUISHING MEDIA: WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL POWDER OR APPROPRIATE FOAM.

5. FIRE AND EXPLOSION HAZARD DATA(cont):

SPECIAL FIRE FIGHTING PROCEDURES: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES.

UNUSUAL FIRE AND EXPLOSION HAZARDS: EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

=====
6. SPILL OR LEAK PROCEDURES:

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: EVACUATE AREA. WEAR RESPIRATOR, CHEMICAL SAFETY GOGGLES, BOOTS AND HEAVY GLOVES. SWEEP UP, PLACE IN A BAG AND HOLD FOR WASTE DISPOSAL. AVOID RAISING DUST. VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICK UP IS COMPLETE.

=====
7. HANDLING AND STORAGE:

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: DO NOT BREATHE DUST. DO NOT GET IN EYES, ON SKIN, ON CLOTHING. AVOID PROLONGED OR REPEATED EXPOSURE. WASH THOROUGHLY AFTER HANDLING. KEEP TIGHTLY CLOSED. STORE IN A COOL DRY PLACE. LIGHT SENSITIVE.

=====
8. EXPOSURE CONTROL/PERSONAL PROTECTION:

RESPIRATORY PROTECTION (SPECIFY TYPE): APPROPRIATE NIOSH/MSHA - APPROVED

VENTILATION: LOCAL EXHAUST: MECHANICAL: OTHER: CHEMICAL FUME HOOD

PROTECTIVE GLOVES: CHEMICAL RESISTANT

EYE PROTECTION: SAFETY GOGGLES OR GLASSES

OTHER PROTECTIVE EQUIPMENT: OTHER PROTECTIVE CLOTHING, SAFETY SHOWER AND EYE BATH.

=====
9. PHYSICAL DATA:

BOILING POINT: NA SPECIFIC GRAVITY (H2O = 1): NA pH:

VAPOR PRESSURE (MM HG.): NA MELTING POINT: 232°C - 234°C

VAPOR DENSITY (AIR = 1): NA

SOLUBILITY IN WATER: SOLUBLE APPEARANCE AND ODOR: WHITE TO BEIGE POWDER

=====

10. STABILITY AND REACTIVITY:

STABILITY: UNSTABLE: STABLE: X

MSDS: THIMEROSAL

INCOMPATIBILITY (MATERIALS TO AVOID): STRONG OXIDIZING AGENTS, STRONG ACIDS, STRONG BASES. MAY DISCOLOR ON EXPOSURE TO LIGHT.

HAZARDOUS DECOMPOSITION OF BY-PRODUCTS: TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, SULFUR OXIDES, MERCURY/MERCURY OXIDES.

HAZARDOUS POLYMERIZATION: MAY OCCUR: WILL NOT OCCUR: X

11. TOXICOLOGICAL INFORMATION:

LD50/LC50: LD50 ORAL - RAT - 75 MG/KG

BEHAVIORAL: ATAXIA. INGESTION MAY CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING AND DIARRHEA. PROLONGED OR REPEATED EXPOSURE MAY CAUSE ALLERGIC REACTIONS IN CERTAIN SENSITIVE INDIVIDUALS.

CARCINOGENICITY: NL NTP? NL IARC? NL OSHA? NL

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

12. ECOLOGICAL INFORMATION: NO DATA AVAILABLE

13. DISPOSAL CONSIDERATIONS: OBSERVE ALL FEDERAL, STATE AND LOCAL REGULATIONS.

14. TRANSPORTATION INFORMATION:

UN#: 2025
PROPER SHIPPING NAME: MERCURY COMPOUND, SOLID, N.O.S.
PG: III
CLASSES: 6.1

15. REGULATORY INFORMATION: THIS PRODUCT IS SUBJECT TO SARA SECTION 313 REPORTING REQUIREMENTS - MERCURY COMPOUNDS.

16. OTHER INFORMATION: NONE

The information herein is given in good faith but no warranty, expressed or implied, is made.

MATERIAL SAFETY DATA SHEET

HELENA LABORATORIES
1530 Lindbergh Dr./P.O. Box 752
Beaumont, TX 77704-0752
USA Toll Free 800-231-5663

DATE PREPARED: 3/24/2010
REVISION: 5

1. IDENTIFICATION:

NAME: BARBITAL

MOLECULAR WEIGHT: 184.22
MOLECULAR FORMULA: C8H12N2O3

CHEMICAL NAMES: 5,5-DIETHYLBARBITURIC ACID

=====

3. CHEMICAL COMPOSITION:

Table with 5 columns: CHEMICAL NAME/COMMON NAME, CAS #, %, EXPOSURE LIMITS (OSHA PEL, ACGIH TLV). Row 1: BARBITAL, 57-44-3, 100, NA, NA.

=====

NA = Not Applicable NE = Not Established
NL = Not Listed NIF = No Information Found

3. HAZARD IDENTIFICATION:

EMERGENCY OVERVIEW

PRIMARY ROUTE(S) OF ENTRY:

INHALATION? X SKIN? INGESTION? X

ACUTE EFFECT OF OVEREXPOSURE: BARBITAL IS A SLEEPING DRUG. THE LETHAL DOSE FOR HUMAN IS 3-6 g.

4. FIRST AID MEASURES:

EYES: IN CASE OF CONTACT, FLUSH EYES WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN.

SKIN: IN CASE OF CONTACT, IMMEDIATELY WASH SKIN WITH SOAP AND COPIOUS AMOUNTS OF WATER FOR 15 MINUTES. CALL A PHYSICIAN.

INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

INGESTION: MAKE VICTIM DRINK PLENTY OF WATER, INDUCE VOMITING. CALL A PHYSICIAN.

5. FIRE AND EXPLOSION HAZARD DATA:

FLASH POINT (METHOD USED): NA

FLAMMABLE LIMITS: LEL NE UEL NE

EXTINGUISHING MEDIA: FOAM, FOG, WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES: COMBUSTIBLE. DEVELOPMENT OF TOXIC GASES OR FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, NITROGEN OXIDES. DO NOT STAY IN DANGEROUS ZONE WITHOUT SUITABLE CHEMICAL PROTECTION CLOTHING AND SELF CONTAINED BREATHING APPARATUS. PREVENT FIRE-FIGHTING WATER FROM ENTERING SURFACE WATER OR GROUDWATER.

UNUSUAL FIRE AND EXPLOSION HAZARDS: NA

6. SPILL OR LEAK PROCEDURES:

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: WEAR PERSONAL PROTECTIVE EQUIPMENT. AVOID GENERATION OF DUST; DO NOT INHALE DUSTS. TAKE UP SPILLED PRODUCT. DO NOT ALLOW TO ENTER SEWERAGE SYSTEM. TAKE UP DRY. FORWARD FOR DISPOSAL. CLEAN UP AFFECTED AREA.

7. HANDLING AND STORAGE:

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: **STORE AT 15°C TO 25°C. TIGHTLY CLOSED. DRY.**

=====
8. EXPOSURE CONTROL/PERSONAL PROTECTION:

RESPIRATORY PROTECTION (SPECIFY TYPE): **DUST RESPIRATOR**

VENTILATION: LOCAL EXHAUST: **X** MECHANICAL:
OTHER:

PROTECTIVE GLOVES: **PROTECTIVE GLOVES**

EYE PROTECTION: **SAFETY GLASSES OR GOGGLES**

OTHER PROTECTIVE EQUIPMENT: **WEAR SUITABLE PROTECTIVE CLOTHING. TAKE OFF CONTAMINATED CLOTHES IMMEDIATELY.**

=====
9. PHYSICAL DATA:

BOILING POINT: **NA** SPECIFIC GRAVITY (H2O = 1): **NA**
pH: **ADJUSTED**

VAPOR PRESSURE (MM HG.): **NA** MELTING POINT: **190°C**

VAPOR DENSITY (AIR = 1): **NA**

SOLUBILITY IN WATER: **SLIGHTLY SOLUBLE** APPEARANCE AND ODOR: **WHITE SOLID**

=====
10. STABILITY AND REACTIVITY:

STABILITY: UNSTABLE: STABLE: **X**

INCOMPATIBILITY (MATERIALS TO AVOID): **ALKALINES**

HAZARDOUS DECOMPOSITION OF BY-PRODUCTS: **IN CASE OF FIRE: CARBON DIOXIDE, CARBON MONOXIDE, NITROGEN OXIDE**

HAZARDOUS POLYMERIZATION:
MAY OCCUR: WILL NOT OCCUR: **X**

=====

11. TOXICOLOGICAL INFORMATION:

BARBITAL IS A SLEEPING DRUG. THE LETHAL DOSE FOR HUMAN IS 3-6 g.

MATERIAL SAFETY DATA SHEET

HELENA LABORATORIES
1530 Lindbergh Dr./P.O. Box 752
Beaumont, TX 77704-0752
USA Toll Free 800-231-5663

DATE PREPARED: 5/13/2009
REVISION: 3

1. IDENTIFICATION:

NAME: 2-AMINO-2-METHYL-1-PROPANOL

=====

4. CHEMICAL COMPOSITION:

Table with 5 columns: CHEMICAL NAME/COMMON NAME, CAS #, %, EXPOSURE LIMITS (OSHA PEL, ACGIH TLV). Row 1: 2-AMINO-2-METHYL-1-PROPANOL, 124-68-5, 98, NE, NE.

=====

NA = Not Applicable NE = Not Established
NL = Not Listed NIF = No Information Found

3. HAZARD IDENTIFICATION:

EMERGENCY OVERVIEW

PRIMARY ROUTE(S) OF ENTRY:

INHALATION? X SKIN? X INGESTION? X

ACUTE EFFECT OF OVEREXPOSURE:

EYES: SEVERELY IRRITATING. CONTACT MAY CAUSE PAIN AND SEVERE REDDENING AND INFLAMATION OF THE CONJUNCTIVA. BURNS MAY BE POSSIBLE.

SKIN: SEVERELY IRRITATING. THIS MATERIAL WILL CAUSE SKIN IRRITATION, RESULTING IN REDDENING, ITCHING AND INFLAMATION. BURNS MAY BE POSSIBLE.

INHALATION: THIS MATERIAL WILL CAUSE IRRITATION OF THE RESPIRATORY SYSTEM. SYMPTOMS CAN INCLUDE: SNEEZING, COUGHING, BURNING, ITCHING AND/OR TROUBLE BREATHING. THIS MATERIAL MAY CAUSE INJURY OR ILLNESS IF INHALED.

INGESTION: IF INGESTED, THIS MATERIAL MAY CAUSE IRRITATION TO THE MOUTH, THROAT AND GASTROINTESTINAL TRACT. MAY BE HARMFUL IF SWALLOWED. HUMAN ORAL DOSE HAS BEEN ESTIMATED TO BE BETWEEN 1 OZ. AND 1 PINT (OR 1 POUND) FOR A 150 POUND (70KG) PERSON.

CHRONIC EFFECTS OF EXPOSURE: CHANGES IN UTERINE WEIGHT.

4. FIRST AID MEASURES:

EYE CONTACT: FLUSH IMMEDIATELY WITH LARGE AMOUNT OF WATER FOR AT LEAST 15 MINUTES. EYELIDS SHOULD BE HELD AWAY FROM THE EYEBALL TO ENSURE THOROUGH RINSING. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

SKIN CONTACT: IMMEDIATELY FLUSH SKIN WITH PLENTY OF WATER, FOR AT LEAST 15 MINUTES, WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. CONTAMINATED CLOTHING MUST BE LAUNDERED BEFORE REUSE. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS OR PERSISTS.

INHALATION: SAFELY REMOVE VICTIM TO FRESH AIR. IF NOT BREATHING, INSTITUTE CARDIOPULMINARY RESUCITATION (CPR). IF BREATHING IS DIFFICULT, ENSURE CLEAR AIRWAY AND GIVE OXYGEN. GET MEDICAL ATTENTION.

INGESTION: IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GET MEDICAL ATTENTION.

5. FIRE AND EXPLOSION HAZARD DATA:

FLASH POINT (METHOD USED): 67°C (152.6°F)

FLAMMABLE LIMITS: NO DATA LEL UEL

5. FIRE AND EXPLOSION HAZARD DATA (cont):

EXTINGUISHING MEDIA: USE A WATER SPRAY, DRY CHEMICAL, ALCOHOL FOAM, ALL PURPOSE FOAM OR CARBON DIOXIDE TO EXTINGUISH FIRE.

SPECIAL FIRE FIGHTING PROCEDURES: AS IN ANY FIRE, WEAR SELF-CONTAINED BREATHING APPARATUS PRESSURE-DEMAND, (MSHA/NIOSH APPROVED OR EQUIVALENT) AND FULL PROTECTIVE GEAR. EVACUATE THE AREA AND FIGHT FIRE FROM A SAFE DISTANCE.

UNUSUAL FIRE AND EXPLOSION HAZARDS: COMBUSTIBLE LIQUID. VAPORS CAN FORM EXPLOSIVE MIXTURES AT TEMPERATURES AT OR ABOVE THE FLASH POINT. IRRITATING AND TOXIC SUBSTANCES MAY BE EMITTED UPON THERMAL DECOMPOSITION.

=====

6. SPILL OR LEAK PROCEDURES:

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: CAUTION SHOULD BE EXERCISED REGARDING PERSONNEL SAFETY AND EXPOSURE TO THE SPILLED MATERIAL. WEAR A SELF-CONTAINED BREATHING APPARATUS AND APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT. ABSORB SPILL WITH INERT MATERIAL (EXAMPLE: DRY SAND OR EARTH) THEN PLACE IN A CHEMICAL WASTE CONTAINER. CLEAN UP SPILLS IMMEDIATELY UNDER QUALIFIED SUPERVISION OBSERVING PRECAUTIONS IN PROTECTIVE EQUIPMENT SECTION. AFTER REMOVAL, SCRUB THE CONTAMINATED AREA WITH DETERGENT AND FLUSH THOROUGHLY WITH WATER. ABSORB WASH LIQUID AND PLACE IN THE DISPOSABLE CONTAINER. DO NOT FLUSH TO SEWER. AVOID RUNOFF INTO STORM SEWERS AND DITCHES WHICH LEAD TO WATERWAYS.

=====

7. HANDLING AND STORAGE:

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: DO NOT GET IN EYES, ON SKIN OR CLOTHING. WASH HANDS THOROUGHLY BEFORE EATING, DRINKING OR SMOKING. STORE AT ROOM TEMPERATURE. KEEP CONTAINERS TIGHTLY CLOSED AND UPRIGHT WHEN NOT IN USE. STORE AWAY FROM IGNITION SOURCES. STORE AWAY FROM STRONG OXIDIZERS AND ACIDS.

=====

8. EXPOSURE CONTROL/PERSONAL PROTECTION:

RESPIRATORY PROTECTION (SPECIFY TYPE): NIOSH/MSHA APPROVED

VENTILATION: LOCAL EXHAUST: X MECHANICAL: OTHER:

PROTECTIVE GLOVES: USE APPROPRIATE CHEMICAL PROTECTIVE GLOVES WHEN HANDLING.

8. EXPOSURE CONTROL/PERSONAL PROTECTION(cont):

EYE PROTECTION: AVOID EYE CONTACT WITH THIS MATERIAL. WEAR CHEMICAL SAFETY GOGGLES. DO NOT WEAR CONTACT LENSES WHEN WORKING WITH THIS SUBSTANCE.

OTHER PROTECTIVE EQUIPMENT: ADDITIONAL PROTECTION MAY BE NECESSARY TO PREVENT SKIN CONTACT INCLUDING USE OF APRON, GAUNTLETS, BOOTS, IMPERVIOUS PROTECTIVE SUIT AND FACE SHIELD OR SPLASH GOGGLES.

9. PHYSICAL DATA:

BOILING POINT: 165°C SPECIFIC GRAVITY (H2O = 1): 0.934 pH NIF
VAPOR PRESSURE (MM HG.): 3.9 MELTING POINT: 31°C
VAPOR DENSITY (AIR = 1): 3.0
SOLUBILITY IN WATER: NIF APPEARANCE AND ODOR: CLEAR VISCOUS SOLUTION

10. STABILITY AND REACTIVITY:

STABILITY: UNSTABLE: STABLE: X

INCOMPATIBILITY (MATERIALS TO AVOID): INCOMPATIBLE WITH STRONG OXIDIZING AGENTS AND STRONG ACIDS.

HAZARDOUS DECOMPOSITION OF BY-PRODUCTS: MAY EMIT TOXIC FUMES UNDER FIRE CONDITIONS. COMBUSTION MAY PRODUCE CARBON MONOXIDE, CARBON DIOXIDE, AND NITROGEN OXIDES.

HAZARDOUS POLYMERIZATION: MAY OCCUR: WILL NOT OCCUR: X

11. TOXICOLOGICAL INFORMATION:

RTECS NO: UA5950000

LD50/LC50: THE ORAL LD50 IN RATS IS = 2900 MG/KG. ORAL LD50 - MOUSE = 2150 MG/KG. ORAL TDLo - RAT = 44800 MG/KG/8W-C (TOXIC EFFECTS: LIVER - OTHER CHANGES, SKIN AND APPENDAGES - HAIR, RELATED TO CHRONIC DATA - DEATH). REGISTRY OF THE TOXIC EFFECTS OF CHEMICAL SUBSTANCES(RTECS(R)). INHALATION TCLo - RAT = 230 UG/M3/4H/13W-I (TOXIC EFFECTS: CARDIAC - CHANGES IN HEART WEIGHT; LUNGS/THORAX/RESPIRATION - CHANGES IN LUNG WEIGHTRELATED TO CHRONIC DATA - CHANGES IN UTERINE WEIGHT).

11. TOXICOLOGICAL INFORMATION(cont):

CARCINOGENICITY: NL NTP? NL IARC? NL OSHA? NL

POTENTIAL HEALTH EFFECTS: SEE SECTION 3

12. ECOLOGICAL INFORMATION: NO DATA AVAILABLE

13. DISPOSAL CONSIDERATIONS: OBSERVE ALL FEDERAL AND STATE REGULATIONS

14. TRANSPORTATION INFORMATION:

PROPER SHIPPING NAME: COMBUSTIBLE LIQUID, NOS
 HAZARD CLASS: COMBUSTIBLE LIQUID UN/NA CODE UN1993
 PACKAGING GROUP: III
 REPORTABLE QUANTITY: NONE
 LABELS REQUIRED: NONE

15. REGULATORY INFORMATION:

THIS PRODUCT IS LISTED ON THE INVENTORY OF EXISTING CHEMICAL SUBSTANCES UNDER THE TOXIC SUBSTANCE CONTROL ACT (TSCA). TSCA SECTION 8(b).

CALIFORNIA PROPOSITION 65: THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH, OR ANY OTHER REPRODUCTIVE DEFECTS.

	HEALTH	FLAMMABILITY	REACTIVITY	OTHER
HMIS	2	2	0	
NFPA	2	2	0	

16. OTHER INFORMATION: NONE

The information herein is given in good faith but no warranty, expressed or implied, is made.